

42.2 m 1984 Custom Built Tour/Dinner Yacht - Stock No. S2698

US\$1,000,000

Ontario, Canada



**Boat Details**

Make:	<b>Custom</b>	Class:	<b>Commercial Boat</b>
Model:	<b>Built Tour/Dinner Yacht - Stock No. S2698</b>	Hull Material:	<b>Steel</b>
Year:	<b>1984</b>	Beam:	<b>10 m 67 cm</b>
Length:	<b>42 m 28 cm</b>	Boat Location:	<b>Ontario, Canada</b>
Price:	<b>US\$1,000,000</b>	Heads:	<b>4</b>
Condition:	<b>Used</b>	Fuel Type:	<b>Diesel</b>

**Capt. Ken Caine | QPS Marine Ships**

1400 S Federal Highway, Fort Lauderdale, Florida, United States

Tel: +1 516 647-5129 Fax: +1 954 926 5249

ken.caine@qpsships.com

www.qpsships.com

## Description

### **Tour/Dinner/Passenger Yacht for Sale (PRICE NEGOTIABLE)**

**Stock No. S2698**

#### **General Specifications:**

Description: 42.28m Passenger Yacht Date Launched: 1984 Length: 42.28m (138ft 8in) Beam: 10.67m (35ft) Draft: 2.02m (6ft 7in) Note: 1x Caterpillar Engine Location: Kingston Ontario Price US\$ 1 million (negotiable) Price Notes: She is in good operational condition. The yacht offers a mega yacht style and wonderful viewing and accommodations for passengers. Style: Yacht Builder: North Arm Slipway Pty, Ltd Hull: Displacement Transport Canada Certified: Yes Transport Canada Dry Dock: 2017 Passenger Capacity: 587 Dining Cap: 250 Gross Tonnage: 745.73

Net Tonnage: 522.95 Maximum Speed:10 knots @ 1800 RPM Built: 1984 LOA: 42.28 meters Beam: 10.67 meters Hull Depth: 4.6 meters Freeboard: 4.03' Draft Water: 2.02 meters fwd. 2.41 meters aft, Air: 11.28 meters Route Certification: Sheltered Waters Hull Material: Steel Deckhouse Material: Steel

**Tank Capacities:** Fuel: 14,480 liters Waste: 10,570 liters Potable Water: 19,900 liters

**Accommodation and Layout:** The vessel is arranged with passenger boarding on the main deck aft of amidships port. The main deck is arranged with a dance floor, stage, and entertainment center forward, dining aft of the dance floor, the server starboard aft of amidships, a buffet along centerline with a beverage bar aft with a male and female heads fully aft. A stairway serving the main and 01 decks is located port and starboard of the main deck beverage bar. The 01 deck is arranged with an entertainment center, stage and dance floor forward, opening ding aft of the dance floor, a server amidships starboard with the beverage bar on port aft of amidships, a male and female head fully aft. The 01 deck offers open air passage around the vessel. The 02 or Bridge Deck offers open air seating and access to the wheelhouse with a stairway aft on port and starboard providing access between the 01 and 02 decks.

**Wheelhouse:** Control station with engine instrumentation (i.e., tachometer, engine oil pressure, ammeters, hour meters, high water bilge alarm) Pneumatic clutch and throttle controls Sperry Vickers 75 LT power steering system Port and starboard wing controls 2 of 5 Fog bell Tyfon model 12526 trumpet horn M15 Francis lever controlled searchlight Robertson A.S. Panorama rudder indicator Windshield wiper Helm seat Shipmate model RS 8000 VHF/FM marine radio with antenna ICOM model IC-M601 VHF/FM marine radio with antenna Furuno GaAs FET radar system DWL public address system Nortel Norstar 3 x 8 intercom system Tokyo Keiki PK 182-TN magnetic compass with lighted binnacle John Lilley & Gillie Ltd magnetic compass with lighted binnacle

**Galley (Below Deck):** Stainless steel prep tables Stainless steel three partition sink Stainless steel single partition sink Walfdorf combination deep fryer Salamander Two Blodgett model Mack V convection ovens Garland Range Three Henny Penney heating & holding ovens Waldorf hot plate Garland oven hot plate 3 Blodgett Mark V warming ovens Jackson Industrial dishwasher Exhaust fan Walk-in cooler Hoshizaki model 1300 SAF ice machine Mannesmann Demag model PK10 dumbwaiter

**Salon (Main Deck):** 10 tables (24" x 24') 15 tables (48" x 24') 15 tables (96" x 24') 150 interior dining chairs (stacking) Recessed lighting Dance floor with LED lighting Overhead projector screen DJ Center (Three QSC model 300V amplifiers, two Yorkville model AP4040 subwoofer amplifiers Xantrex model HF1800 power conditioner 2 Yorkville model AP2020 speaker amplifiers Symetrix Jupiter 8 controller 2 Compact disc players 2 Yorkville model LS608B subwoofers 4 Yorkville model E15 speakers 54 x 70 volt speakers 12 x 70 volt speakers (outdoor)

**Beverage Bar (Main Deck):** Quartz top Three partition stainless steel sink Two stainless steel cocktail stations with two soda guns Two coolers Walk-in cooler (secure beverage storage) True model TD-36-12-S cooler 3 of 5 18' stainless steel speed rails Hobart glass washer

**Servery (Main Deck):** Stainless steel sink Coffee machine Cabinetry Mannesmann Demag model PK10 dumbwaiter

POS system

**Salon (01 Deck):** 10 tables (24" x 24') 15 tables (48" x 24') 15 tables (96" x 24') 100 interior dining chairs (stacking)  
Recessed lighting Dance floor Wait station (Bunn coffee machine, hot and cold stainless steel buffet)

**Beverage Bar (01 Deck):** Quartz top with Tasmanian Myrtle hardwood Three partition stainless steel sink  
Refrigerator 18' stainless steel speed rail Hobart glass washer

**Servery (01 Deck):** Stainless steel sink Coffee machine Cabinetry Mannesmann Demag model PK10 dumbwaiter

**Electrical System:** Ship service 170.0 kW generator powered by a Caterpillar 3306 6-cylinder marine diesel engine with fuel liter, heat exchanger cooled - engine hours: 41,225 December 2020 Ship service 104.0 kW generator powered by a Detroit Diesel model 671 6-cylinder marine diesel engine with fuel liter, heat exchanger cooled - engine hours: 12,600 December 2020 Ship to shore power switch 200 AMP/ 208 VAC shore power service 75 kVa 208 – 416 isolation transformer 240 VAC exterior and interior perimeter lighting 24 VDC lighting 240 VDC interior LED lighting 120 VAC/12 VDC lighting 120 VAC duplex outlets 3 12 VDC 8D enclosed heavy duty batteries Two battery isolation switch 4 of 5 Automatic 40 amp battery charger with DC meter 24 ton water cooled reverse cycle heat pump system with two stage electric heat stations Internationally approved navigation lights (i.e., port light, starboard light, stern light, masthead light, anchor light)

Long & McQuade sound system

**Hull, Superstructure and Decks** 3/8" steel plate hull 5/16" steel plate deck-house Insulated deck-house

Seven compartments formed by six transverse bulkheads 8" fan nosed rub rail Boarding gates: two amidships on the main deck Eight 20" levels, three steel Sampson posts

**Deck fittings:** Electrical: Amidships port Waste: Amidships port Water: Amidships port/star Fuel: Amidships port/star

**Mechanical Equipment and Engine Details:** Single 12-cylinder four stroke turbo charged 720 HP @ 1800 RPM Caterpillar 3412E marine diesel engines, fuel liters, seawater strainers with seacocks Engine Hours: 4,400 - December 2020 Johnson keel cooling system ZF model ZFW 2400 direct reverse transmission 4" stainless steel propeller shaft 1.57 m x 1.57 m pitch four blade bronze propeller Marco model T-80 80 hp hydraulically driven thruster – bow Marco model T-80 80 hp hydraulically driven thruster – stern Engine room insulation 80 gallon 6 kW 416 VAC water heater Ocean Breeze 20 ton air conditioning system Moving Cool model Classic Plus 26 portable air conditioning unit Slant & Finn model 50 XP 248,000 BTU boiler system DEMAG fitted stores crane with hoist (500 kg.)

**Heads:** The vessel is equipped with four heads (two on the main deck and two on the 01 deck) and each contains: Female head (main deck) contains four partitioned toilets, two sinks; (01 deck contains two partitioned toilets, one sink Male head contains one partitioned toilet, one urinal, one stainless steel Aussie style urinal, one sink 5 of 5 All heads are equipped with electric hand dryers

**Safety Equipment:** 600 adult Transport Canada approved personal flotation devices 60 child Transport Canada approved personal flotation devices 8 life rings 8 75 person life rafts 1 20 person life raft ABC re extinguishers throughout the Vessel Pyrotechnic distress signals 5 re stations including: UL approved rubber lined hoses with brass or bronze fittings, brass or bronze nozzles, brass or bronze hose bibs. Fire axes Hydraulically driven windless powered by a PTO from main generator engine Two Duke style anchors with chain and line

10' Zodiac steal rescue craft outfitted with a 25 hp Evinrude outboard motor with a manually operated davit

**Finish:** Exterior coating: High Gloss Exterior decks: nonskid Interior decks Salon: Carpeting (wool) Heads: Ceramic Galley: Epoxy Bar: Aztec Wheelhouse: Carpet Headliner: Vinyl Interior Bulkheads: Salon: Vinyl Heads: Ceramic Galley: Epoxy

## **Dimensions**

LOA: **42 m 28 cm**

Beam: **10 m 67 cm**

## **Accommodations**

Heads: **4**

## **Disclaimer**

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

